



SELF ASSEMBLY SYSTEM FIELD SERVICE



In the field, every minute counts. In today's environment, equipment, whether it be agricultural, construction or mining, simply cannot afford unnecessary downtime. That's why Gates has developed a range of small, portable and easy to use crimpers specifically designed for end-users on site.

And since these simple, lightweight machines are designed as part of the Gates Integrated System, end-users are assured of factory-quality no-skive assemblies - even in the field!

No-skive spiral
hose up to 1"

MCX 20



Wire-braid hose
up to 1"

MC 1001
manual

MC 1001
air operated





SELF ASSEMBLY SYSTEM MOBILE SERVICE



A Gates hose assembly is much more than the sum of its components. It is the combined result of a rigorous test regime and of a tightly controlled manufacturing process, both at Gates and at the point of assembly.

To reduce the risk of premature failure due to variations in the assembly process, Gates has developed a special proposition for mobile service operations allowing them to benefit from the simplified and superior Global range of no-skive hoses and couplings.

And thanks to the Gates Integrated System, mobile service operators can offer their customers the superior quality and performance which make the world's most trusted hose assemblies.

	Cutting	Marking	Crimping
Professional service up to 1.1/4"	MKX 25	MSX 50	MCX 30
			
Starter up to 1"	MKX 25	MSX 50	MCX 25
			



SELF ASSEMBLY SYSTEM WORKSHOP



In the Gates workshop, safe, fast and efficient assembly of hydraulic hoses and couplings is made simple. All machines are custom-designed to work with a well-defined range of Gates hoses and couplings allowing production of factory-quality assemblies fully complying with European Directives and the most stringent international standards.

No matter what your workshop needs, whether you are a starter, a professional, or a full-service workshop, Gates has the right product offering for you.

	Cutting	Marking	Crimping
Full service 2"	MKX 50	MSX 50	MCX 50
			
Professional service up to 1.1/4"	MKX 30	MSX 50	MCX 30
			
Starter up to 1"	MKX 25	MSX 50	MCX 25
			